Version : 1 Issue date : 01.02.2023 Revision date: 18.01.2024

LABEL OFF

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade LABEL OFF

name/designation Chemical name

Product-type Mixture Product code 761.400.000

UFI: FW10-90Y2-A009-DV2N

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- Preparatory and cleaning products

1.3 - Details of the supplier of the safety data sheet

Company name: Avery Zweckform GmbH Street: Miesbacherstraße 5 Place: 83626 Oberlaindern Telephone: 0049 (0)8024641-0

e-mail:

Internet: www.avery-zweckform.com

1.4 - Emergency telephone number

Germany: Intoxications Information Center; +49 761 19240

Switzerland: Swiss Toxicological Information Centre; +41 44 251 51 51

Austria: Intoxication information center; +43 1 406 43 43

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2	Irritation, Category 2
Skin Sens. 1	Skin sensitization - Category 1
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)
Asp. Tox. 1	Aspiration hazard - Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2
Aerosol 1	Aerosol - Category 1

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: Hydrocarbons, C6, isoalkanes, <5% n-hexane (CAS No.:) | (R)-p-mentha-1,8-diene, d-limonene (CAS No.: 5989-27-5) | Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (CAS No.:)

Signal word : Danger

Hazard pictograms







Hazard statements

H222 Extremely flammable aerosol

01/02/2023 - English 1/12

Version: 1

Issue date: 01.02.2023

H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to an appropriate recycling or disposal facility in accordance with local/regional/national/international regulation.
ELILI physics	. None

EUH-phrases : None

Regulation (EC) No. 648/2004 (Detergents regulation)

2.3 - Other hazards

PBT-substance.	- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
vPvB-substance.	- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
Hydrocarbons, C6, isoalkanes, <5% n-hexane	CAS No. : Index No. : EC No. : 931-254-9 REACH No. : 01- 2119484651-34	60	Aquatic Chronic 2 - H411 Asp. Tox. 1 - H304 Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 (H336) - H336	Not applicable
(R)-p-mentha-1,8-diene, d- limonene	CAS No. : 5989-27-5 Index No. : 601-029-00-7 EC No. : 227-813-5	20	Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Asp. Tox. 1 - H304 Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317	M-factor: / 1
Chemical name	No	%	Class(es)	Specific concentration limit

01/02/2023 - English 2/12

Version: 1

Issue date: 01.02.2023

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS No. : Index No. : EC No. : 927-241-2	15	Aquatic Chronic 3 - H412 Asp. Tox. 1 - H304 Flam. Liq. 3 - H226 STOT SE 3 (H336) - H336	Not applicable
carbon dioxide	CAS No. : 124-38-9 Index No. : EC No. : 204-696-9	5	Press. Gas (Comp.) - H280	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation	- Provide fresh air.
Following skin contact	 After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.
After eye contact	Rinse immediately carefully and thoroughly with eye-bath or water.In case of eye irritation consult an ophthalmologist.
After ingestion	Rinse mouth thoroughly with water.Do NOT induce vomiting.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation	- No information available.
Symptoms and effects - Following skin contact	- Causes skin irritation.
Symptoms and effects - After eye contact	- No information available.
Symptoms and effects - After ingestion	- No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media	- ABC-powder- Carbon dioxide (CO2)- Foam- Extinguishing powder
Unsuitable extinguishing media	- Full water jet

5.2 - Special hazards arising from the substance or mixture

· ·	9		
Special hazards arising from mixture	the substance or	- No information available.	

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

01/02/2023 - English 3/12

Version : 1 Issue date : 01.02.2023

LABEL OFF

6.1 - Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u> - Use personal protection equipment.

<u>For emergency responders</u> - No information available.

6.2 - Environmental precautions

- Do not allow to enter into soil/subsoil.
- Do not allow to enter into surface water or drains.
- Retain contaminated washing water and dispose it.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment	- No information available.
Methods and material for cleaning up	 Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Wash with plenty of water.
Inappropriate techniques	- No information available.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation - Avoid: Skin contact

- It is recommended to design all work processes always so

that the following is excluded: Skin contact

Advices on general occupational hygiene

- No information available.

7.2 - Conditions for safe storage, including any incompatibilities

- No information available.

7.3 - Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

carbon dioxide (124-38-9)	
IOELV TWA mg/m3 (UE)	9150 mg/m3
IOELV TWA ppm (UE)	5000 ppm
IOELV STEL mg/m3 (UE)	27400 mg/m3
IOELV STEL ppm (UE)	15000 ppm

DNEL / PNEC

Hydrocarbons, C6, isoalkanes, <5% n-hexane

01/02/2023 - English 4/12

Issue date: 01.02.2023

Version: 1

LABEL OFF

Туре	Value	User	Effect
DNEL long-term oral (repeated)	1301 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	5306 mg/m3	Workers	Systemic
DNEL long-term inhalative	1131 mg/m3	Consumers	Systemic
DNEL long-term dermal	1377 mg/kg bw/day	Consumers	Systemic

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			
Туре	Value	User	Effect
DNEL long-term oral (repeated)	46 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	871 mg/m3	Workers	Systemic
DNEL long-term inhalative	185 mg/m3	Consumers	Systemic
DNEL long-term dermal	77 mg/kg bw/day	Workers	Systemic
DNEL long-term dermal	46 mg/kg bw/day	Consumers	Systemic

8.2 - Exposure controls

Appropriate engineering controls

Individual protection measures, such as personal - Suitable protective clothing: lab coat protective equipment

- No information available.



- Tested protective gloves must be worn

- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Barrier creams are not substitutes for body protection.

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

Physical state	Liquid	<u>Appearance</u>	Aerosol
Colour	colourless	<u>Odour</u>	characteristic
Odour threshold		No data available	
рН		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		No data available	
Flash point		-26 °C	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		0.7 % Vol.	
Upper explosion limit		7.4 % Vol.	
Vapour pressure		6800 hPa	
Vapour density		No data available	

01/02/2023 - English 5/12

Issue date : 01.02.2023

Version: 1

LABEL OFF

Relative density	0.707
Density	0.05 kg/l
Solubility (Water)	No data available
Solubility (Ethanol)	No data available
Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Log KOC	No data available
Auto-ignition temperature	> 200 °C
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Particle characteristics

Particle size	No data available
---------------	-------------------

9.2 - Other information

VOC content	96 %
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- No information available.

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity: Mixture

LD5	50 oral (rat)	No data available
LD5	50 dermal (rat)	No data available

01/02/2023 - English 6/12

Version : 1 Issue date : 01.02.2023

LABEL OFF

LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Toxicity: Substances

Hydrocarbons, C6, isoalkanes, <5% n-hexane ()		
LD50 oral (rat) > 16750 mg/kg		
LD50 dermal (rabbit) > 3350 mg/kg		
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics ()		

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics ()		
LD50 oral (rat) > 15000 mg/kg		
LD50 dermal (rabbit) > 5000 mg/kg		

Skin corrosion/irritation

- Irritation, Category 2 Causes skin irritation
- Irritating to skin.

Serious eye damage/eye irritation

- Not classified

Respiratory or skin sensitisation

- Skin sensitization Category 1 May cause an allergic skin reaction
- May cause sensitization by skin contact.
- May cause an allergic skin reaction.

Germ cell mutagenicity

- Not classified

Carcinogenicity

- Not classified

Reproductive toxicity

- Not classified

STOT-single exposure

- STOT-single exposure - Category 3 (H336) - May cause drowsiness or

dizziness

STOT-repeated exposure

- Not classified

Aspiration hazard

- Aspiration hazard - Category 1 - May be fatal if swallowed and enters airways

11.2 - Information on other hazards

- This substance does not have endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity: Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available

01/02/2023 - English 7/12

NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity: Substances

Hydrocarbons, C6, isoalkanes, <5% n-hexane ()		
LC50 96 hr fish	18.27 mg/l	
ErC50 algae	13.56 mg/l	

Version: 1

Issue date: 01.02.2023

- Toxic to aquatic life with long lasting effects.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

- The product contains a substance that is identified as having endocrine disrupting properties.

12.7 - Other adverse effects

- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods	- Dispose of waste according to applicable legislation.
Sewage disposal	- No information available.
Special precautions for waste treatment	- No information available.
Community or national or regional provisions	- No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) : UN1950

01/02/2023 - English 8/12

Version : 1 Issue date : 01.02.2023

LABEL OFF

 UN number (RID)
 :
 UN1950

 UN number (ADN)
 :
 UN1950

 UN number (IMDG)
 :
 UN1950

 UN number (IATA)
 :
 UN1950

14.2 - UN proper shipping name

UN proper shipping name

AEROSOLS

(ADR)

UN proper shipping name

AEROSOLS

(RID)

UN proper shipping name

AEROSOLS

(ADN)

UN proper shipping name

AEROSOLS

(IMDG)

UN proper shipping name

AEROSOLS, FLAMMABLE

(IATA)

14.3 - Transport hazard class(es)

ADR Transport hazard

: 2

2

:

class(es)

ADR Classification code: : 5F

Pictograms



<u>Transport hazard class(es)</u> :

(RID)

Pictograms



Transport hazard class(es) : 2

(ADN)

Pictograms



Transport hazard class(es) : 2

(IMDG)

<u>Pictograms</u>



<u>Transport hazard class(es)</u> : 2

(IATA)

Pictograms



01/02/2023 - English 9/12

14.4 - Packing group

LABEL OFF

Version: 1

Issue date: 01.02.2023

Packing group :

Packing group (RID) :

Packing group (ADN) :

Packing group (IMDG)
Packing group (IATA)

14.5 - Environmental hazards

Environmental hazards : Yes.

Marine pollutant : Hazardous to the aquatic environment - Aquatic Chronic 2

14.6 - Special precautions for user

ADR

ADR Classification code: : 5F

ADR Special provisions : 190+327+344+625

ADR Limited quantity (LQ) : 1L
ADR Excepted quantities : E0

ADR Packing instructions : P207 LP200
ADR Special packing provisions : PP87 RR6 L2

ADR Mixed packing provisions : MP9

Instructions for portable tanks and bulk containers

Special provisions for portable tanks and bulk containers

ADR tank code

ADR tanks special provisions

Vehicle for tank carriage

ADR Transport category : 2

ADR Tunnel restriction code : D

ADR Special provisions loading, unloading and handling : CV9 CV12 Special provisions - Packages : V14

Special provisions - Bulk

<u>Special provisions - Operation</u> : S2

ADR Hazard identification number (Kemler No.)

RID

<u>Special provisions</u> :

<u>Limited quantity (LQ)</u> : <u>Excepted quantities</u> :

ADN

Special provisions :

<u>Limited quantity (LQ)</u> : Excepted quantities :

IMDG

01/02/2023 - English 10/12

Version: 1 Issue date: 01.02.2023

LABEL OFF

Special provisions 63 190 277 327 344 381 959

Limited quantity (LQ)

Excepted quantities E0

Packing instructions P207 LP200 Special packing provisions PP87 L2

IBC instruction(s)

IBC provisions

Instructions for portable tanks and bulk containers

Special provisions for portable tanks and bulk containers

EmS codes F-D, S-U

Stowage and handling Category None

SW1 SW22

Segregation SG69

Properties and observations

IATA

PCA - Excepted quantities E0 PCA - Limited Quantity - Packing Instructions Y203 PCA - Limited Quantity - Maximum Net Quantity per Package 30kg PCA - Packing Instructions 203 PCA - Maximum Net Quantity per Package 75kg **CAO - Packing Instructions** 203 CAO - Maximum Net Quantity per Package 150ka

A145 A167 A802 **Special Provisions**

ERG Code 10L

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH None

candidates

None Substances Annex XIV Substances Annex XVII None

VOC content 96 %

Regulation (EC) No. 648/2004 (Detergents regulation)

15.2 - Chemical Safety Assessment

<u>Chemical safety assessment carried</u> - No information available. out for the product

SECTION 16: Other information

SDS versions

11/12 01/02/2023 - English

Version : 1 Issue date : 01.02.2023

Version	Issue date	Author	Description of the amendments
1	2/1/2023		

Texts of the regulatory sentences

Aerosol 1	Aerosol - Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1	
Aquatic Chronic 2	Hazardous to the aquatic environment - Aquatic Chronic 2	
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3	
Asp. Tox. 1	Aspiration hazard - Category 1	
Flam. Liq. 2	Flammable liquid and vapour Category 2	
Flam. Liq. 3	Flammable liquid and vapour Category 3	
H222	Extremely flammable aerosol	
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H229	Pressurised container: May burst if heated	
H280	Contains gas under pressure; may explode if heated	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H336	May cause drowsiness or dizziness	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	
Press. Gas	Compressed gas	
(Comp.)		
Skin Irrit. 2	Irritation, Category 2	
Skin Sens. 1	Skin sensitization - Category 1	
Skin Sens. 1B	Skin sensitization - Category 1B	
STOT SE 3	STOT-single exposure - Category 3 (H336)	
(H336)		

*** *** ***

01/02/2023 - English 12/12