



SAFETY DATA SHEET

Deb Instant Foam Complete

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Deb Instant Foam Complete
Product number	DIS1000ML, DIS250ML, DIS47ML, DIS400ML, IFS250ML, IFS1000ML, IAF400ML, IFS47ML, 2717, IFS1LTFEN, 2719, 2720, 2718, 2719EX, FI2718, IFS1LTFSC, FI2720, 6770720, 6770730, 6770736, 6770749, DIX400ML, DIX1L, DIF1200, 2720EX, DIF1247, IFS1LTFNL, DIF12400EX, DIF610EX, dif610, IFS1LTFDE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	PT1 Human Hygiene Biocidal Product
-----------------	------------------------------------

1.3. Details of the supplier of the safety data sheet

Supplier	SC Johnson Professional Ltd Denby Hall Way Denby Derbyshire DE5 8JZ +44 (0) 1773 855100 sdsuk@scj.com
----------	---

1.4. Emergency telephone number

Emergency telephone	National Poisons Information Service (UK) 0344 8920111 (Health Professionals only) National Poisons Information Centre (Eire) 01-8092566/8379964
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Deb Instant Foam Complete

Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P404 Store in a closed container. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use.
Supplementary precautionary statements	P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P264 Wash contaminated skin thoroughly after handling. P280 Wear eye protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL	80.0%
CAS number: 64-17-5	EC number: 200-578-6
	REACH registration number: 01-2119457610-43-XXXX
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention if any discomfort continues.
Skin contact	Not relevant.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
-------------------	-----------------------------

Deb Instant Foam Complete

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

Eye contact May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is highly flammable.

Hazardous combustion products Oxides of carbon.

5.3. Advice for firefighters

Protective actions during firefighting Fight fire from safe distance or protected location.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes. Good general ventilation should be adequate to control worker exposure to airborne contaminants.

Advice on general occupational hygiene Do not smoke in work area.

7.2. Conditions for safe storage, including any incompatibilities

Deb Instant Foam Complete

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store at temperatures not exceeding 40°C. Take precautionary measures against static discharges.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL

Professional - Inhalation; local effects: 1900 mg/m³
 Professional - Dermal; Long term systemic effects: 343 mg/kg/day
 Professional - Inhalation; Long term systemic effects: 950 mg/m³
 Consumer - Inhalation; local effects: 950 mg/m³
 Consumer - Dermal; Long term systemic effects: 206 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 114 mg/m³
 Consumer - Oral; Long term systemic effects: 87 mg/kg/day

PNEC

- marine water; 0.79 mg/l
 - Fresh water; 0.96 mg/l
 - Intermittent release; 2.75 mg/l
 - STP; 580 mg/l
 - Sediment (Freshwater); 3.46 mg/kg
 - Sediment (Marinewater); 2.9 mg/l
 - Soil; 0.63 mg/kg

COCOGLUCOSIDE (CAS: 68515-73-1)

DNEL

Workers - Inhalation; Long term systemic effects: 420 mg/m³
 Workers - Dermal; Long term systemic effects: 595000 mg/kg/day
 General population - Inhalation; Long term systemic effects: 124 mg/m³
 General population - Dermal; Long term systemic effects: 357000 mg/kg/day
 General population - Oral; Long term systemic effects: 35.7 mg/kg/day

PNEC

- Fresh water; 0.176 mg/l
 - marine water; 0.0176 mg/l
 - Intermittent release; 0.27 mg/l
 - STP; 560 mg/l
 - Sediment (Freshwater); 1.516 mg/kg
 - Sediment (Marinewater); 0.152 mg/kg
 - Soil; 0.654 mg/kg

8.2. Exposure controls

Deb Instant Foam Complete

Protective equipment



Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Not applicable.
Other skin and body protection	Not relevant.
Hygiene measures	Do not smoke in work area. Promptly remove any clothing that becomes contaminated.
Respiratory protection	Not relevant.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not determined.
pH	pH (concentrated solution): 5.0-7.5
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	15.5 °C A.9
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	~ 0.844 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	2.67 mPa s @ 20°C
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Deb Instant Foam Complete

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

Deb Instant Foam Complete

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information No specific health hazards known.

Inhalation No specific health hazards known.

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness.
Pain.

Toxicological information on ingredients.

ETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,470.0

Species Rat

ATE oral (mg/kg) 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 20,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 117.0

Species Rat

ATE inhalation (vapours mg/l) 117.0

Skin corrosion/irritation

Animal data Oedema score: Very slight oedema - barely perceptible (1).

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Toxicity The product is not expected to be toxic to aquatic organisms.

Ecological information on ingredients.

ETHANOL

Acute aquatic toxicity

Deb Instant Foam Complete

Acute toxicity - fish	LC ₅₀ , 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC ₅₀ , 96 hours: mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , : 858 24H mg/l, Marinewater invertebrates EC ₅₀ , > 48 hours: 10000 mg/l, Daphnia magna EC ₅₀ , 48 hours: mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 275 mg/l, Freshwater algae IC ₅₀ , 72 hours: 5000 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods This material and its container must be disposed of as hazardous waste. Dispose of waste product or used containers in accordance with local regulations Reuse or recycle products wherever possible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1170

UN No. (IMDG) 1170

UN No. (ICAO) 1170

UN No. (ADN) 1170

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (IMDG) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ICAO) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ADN) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es)

Deb Instant Foam Complete

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	2
Emergency Action Code	•2YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Deb Instant Foam Complete

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Use biocides safely. Always read the label and product information before use.
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	(EU) 2015/830
Revision date	10/12/2018
Revision	20
Supersedes date	26/10/2018
SDS number	20973
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

INSTANTFOAM COMPLETE

Udgave 1.1
Revisionsdato 05.01.2023

Trykdato 05.01.2023
Specifikation Nummer: 350000043257

PUNKT 1: IDENTIFIKATION AF STOFFET/BLANDINGEN OG AF SELSKABET/VIRKSOMHEDEN
1.1 Produktidentifikator : INSTANTFOAM COMPLETE

UFI : 7QS3-302P-G00V-RRUR

1.2 Relevante identificerede anvendelser for stoffet eller blandingen samt anvendelser, der frarådes
Anvendelse af stoffet/det kemiske produkt : PT1 Biocidholdige produkter til hygiejne for mennesker.

Frarådede anvendelser : Ingen identificeret.

1.3 Nærmere oplysninger om leverandøren af sikkerhedsdatabladet : SC Johnson Professional A/S,
Agerhatten 27B,
5220 Odense SØ, DK

Telefon : +45 64722400

E-mail adresse : info.prodk@scj.com

1.4 Nødtelefon : Nødtelefon Giftlinjen: +45 82 12 12 12 24 hrs.

PUNKT 2: FAREIDENTIFIKATION
2.1 Klassificering af stoffet eller blandingen

Klassifisering i henhold til Forordning (EF) 1272/2008 (CLP).

Fareklassifikation	Farekategori	Fareidentifikation
Brandfarlige væsker	Kategori 2	Meget brandfarlig væske og damp.
Øjenirritation	Kategori 2	Forårsager alvorlig øjenirritation.

2.2 Mærkningselementer

Mærkning i henhold til Forordning (EF) 1272/2008 (CLP)

Faresymboler

Signalord
Fare

INSTANTFOAM COMPLETE

Udgave 1.1

Revisionsdato 05.01.2023

Trykdato 05.01.2023

Specifikation Nummer: 350000043257

Faresætninger

(H225) Meget brandfarlig væske og damp.

(H319) Forårsager alvorlig øjenirritation.

Sikkerhedssætninger

(P305 + P351 + P338) VED KONTAKT MED ØJNE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let. Fortsæt skylning.

(P337 + P313) Ved vedvarende øjenirritation: Søg lægehjælp.

(P404) Opbevares i en lukket beholder.

(P501) Indholdet/beholderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering.

(P210) Holdes væk fra varme, varme overflader, gnister, åben ild og andre antændelseskilder. Rygning forbudt.

(P233) Hold beholderen tæt lukket.

2.3 Andre farer**: Hormonforstyrrende stoffer**

Denne blanding indeholder ingen stoffer på >0,1 %, der er inkluderet på den liste, som er fastlagt i henhold til Artikel 59(1) for at have hormonforstyrrende egenskaber

PBT og vPvB stof

Denne blanding indeholder ingen stoffer på >0,1 %, der opfylder kriterierne for persistent, bioakkumulerende og toksisk eller meget persistent og meget bioakkumulerende i henhold til Bilag XIII.

PUNKT 3: SAMMENSÆTNING AF/OPLYSNING OM INDHOLDSTOFFER**3.1 Blandinger****Farlige komponenter:**

Kemisk betegnelse	CAS-Nr./EF-Nr.	Reg. No.	Klassificering i henhold til Forordning (EF) 1272/2008 (CLP).	Vægt procent	Specifikke koncentrationsgrænser, M-faktorer, estimater for akut toksicitet (ATE).
ethanol	64-17-5 / 200-578-6	01-2119457610-43	Brandfarlige væsker Kategori 2 H225 Alvorlig øjenskade/øjenirritation Kategori 2 H319	>= 75.00 - < 100.00	ATE: Oralt = 10,470 mg/kg Arter: Rotte Dermal = > 15,800 mg/kg Arter: Kanin SCL: Alvorlig øjenskade/øjenirritation H319 >= 50 %

INSTANTFOAM COMPLETEUdgave 1.1
Revisionsdato 05.01.2023Trykdato 05.01.2023
Specifikation Nummer: 350000043257**Yderligere oplysninger**

For den fuldstændige tekst af faresætningerne nævnt i dette punkt, se punkt 16.

PUNKT 4: FØRSTEHJÆLPSFORANSTALTNINGER**4.1 Beskrivelse af førstehjælpsforanstaltninger**

- Indånding : Ingen særlige forholdsregler.
- Hudkontakt : Ingen særlige forholdsregler.
- Øjenkontakt : Fjern kontaktlinser.
Beskyt det ubeskadigede øje.
Hold øjet vidt åbent under skyllingen.
Kommer stoffet i øjnene, skyl straks med rigeligt vand og søg læge.
- Indtagelse : Ved indtagelse, undgå at fremprovokere opkastning: kontakt omgående læge og vis denne beholder eller etiket.
Skyl munden med vand.

4.2 Vigtigste symptomer og virkninger, både akutte og forsinkede

- Øjne : Forårsager alvorlig øjenirritation.
Der forventes ingen uheldige virkninger, når produktet anvendes som angivet.
- Virkning på hud : Der forventes ingen uheldige virkninger, når produktet anvendes som angivet.
- Indånding : Der forventes ingen uheldige virkninger, når produktet anvendes som angivet.
- Indtagelse : Kan eventuelt forårsage irritation i mund, hals og mave.
Kan medføre ubehag i maveregionen.

4.3 Angivelse af om øjeblikkelig lægehjælp og særlig behandling er nødvendig

Se "Beskrivelse af førstehjælpsforanstaltninger" hvis ikke andet er angivet.

PUNKT 5: BRANDBEKÆMPELSE**5.1 Slukningsmidler**

- Egnede : Brandslukningsforanstaltningerne skal være hensigtsmæssige i forhold til lokale omstændigheder og det omgivne miljø.
- Uegnede : Ingen identificeret.

INSTANTFOAM COMPLETE

Udgave 1.1

Revisionsdato 05.01.2023

Trykdato 05.01.2023

Specifikation Nummer: 350000043257

- 5.2 Særlige farer i forbindelse med stoffet eller blandingen** : Brandfarlig væske. Dampe er tungere end luft og kan transporteres til en antændelseskilde, dette kan medføre en tilbagetænding. Undgå at indånde røgen ved brand eller eksplosion. Ved store mængder brandfarlige væsker, overvej at inddæmme for at hindre spredning af brand. Påvirkning overfor dekomponeringsprodukter kan skade helbredet.
- 5.3 Anvisninger for brandmandskab** : I tilfælde af brand: brug luftforsynet åndedrætsværn. Brug særligt arbejdstøj og egnede beskyttelseshandsker. Se aktuelle EN- og nationale standarder.

PUNKT 6: FORHOLDSREGLER OVER FOR UDSLIP VED UHELD

- 6.1 Personlige sikkerhedsforanstaltninger, personlige værnemidler og nødprocedurer** : Brug personligt beskyttelsesudstyr. Fjern alle antændelseskilder. Vær opmærksom på ophobning af dampe der kan danne en eksplosiv koncentration. Dampe kan ophobes i lave områder.
- 6.2 Miljøbeskyttelsesforanstaltninger** : Udenfor normal brug, undgå udslip til omgivelserne. Undgå at store mængder af produktet kommer i kloakken. Skyl ikke ud til overfladevand eller til det sanitære kloaksystem. Sørg for at forhindre yderligere lækage eller udslip, hvis det er sikkerhedsmæssigt muligt. Skal emballeres forsvarligt for at undgå miljøforurening.
- 6.3 Metoder og udstyr til inddæmning og oprensning** : Opbevar og opsaml spild med ikke brændbart absorberende materiale, (f. eks. sand, jord, moler el. vermikulit) og placer det i affaldsbeholdere i henhold til de lokale myndigheders forskrifter (se afsnit 13). Rengør fra spildrester. Kun brug gnistfri udstyr.
- 6.4 Henvisning til andre punkter** : For personlig beskyttelse se punkt 8. For information om affaldshåndtering, se punkt 13.

PUNKT 7: HÅNDTERING OG OPBEVARING

- 7.1 Forholdsregler for sikker håndtering** : For personlig beskyttelse se punkt 8. Undgå kontakt med huden og øjnene. Rygning, spisning og indtagelse af drikke bør være forbudt i anvendelsesområdet. Brug personligt beskyttelsesudstyr. Holdes væk fra antændelseskilder - Rygning forbudt. Tag forholdsregler for at forebygge opbygning af statisk elektricitet.

INSTANTFOAM COMPLETEUdgave 1.1
Revisionsdato 05.01.2023Trykdato 05.01.2023
Specifikation Nummer: 350000043257

- 7.2 Betingelser for sikker opbevaring, herunder eventuel uforenelighed** :
- Rygning forbudt.
 - Opbevares køligt.
 - Må ikke fryses.
 - Opbevares utilgængeligt for børn.
 - Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer.
 - Stabil under normale forhold.
 - Ingen nedbrydning ved lagring og brug som beskrevet.
- 7.3 Særlige anvendelser** :
- Faglige anvendelser: Det offentlige område (administration, uddannelse, forlystelser, tjeneste-ydelser, håndværkere)
 - PT1 Biocidholdige produkter til hygiejne for mennesker.

PUNKT 8: EKSPONERINGSKONTROL/PERSONLIGE VÆRNEMIDLER**8.1 Kontrolparametre****Grænseværdier for erhvervsmæssig eksponering**

Komponenter	CAS-Nr.	mg/m3	ppm	Påvirkningsform	Liste
ethanol	64-17-5	1,900 mg/m3	1,000 ppm		DK_TWAS

Se aktuelle EN- og nationale standarder.

8.2 Eksponeringskontrol

- Åndedrætsværn** : Ved udvikling af dampe bruges åndedrætsværn med godkendt filter.
- Beskyttelse af hænder** : Brug egnede beskyttelseshandsker under arbejdet.
Nitril handsker - Tykkelse 0.12mm; Gennembrudstid >2 timer.
De valgte beskyttelseshandsker skal opfylde specifikationerne i EUs Forordning 2016/425 samt standarden EN 374, der er afledt deraf.
Før handskerne aftages skal de vaskes med sæbe og vand.
- Beskyttelse af øjne / ansigt** : Sikkerhedsbriller
- Beskyttelse af hud og krop** : Vask forurenet tøj før genbrug.
- Andre oplysninger** : Der må ikke spises, drikkes eller ryges under brugen.
Vask hænder før pauser og ved arbejdstids ophør.
- Foranstaltninger til begrænsning af eksponering af miljøet** : Se punkt 6.

PUNKT 9: FYSISKE OG KEMISKE EGENSKABER**9.1 Oplysninger om grundlæggende fysiske og kemiske egenskaber**

- Udseende** : væske
- Farve** : klar

INSTANTFOAM COMPLETE

Udgave 1.1

Revisionsdato 05.01.2023

Trykdato 05.01.2023

Specifikation Nummer: 350000043257

Lugt	: Lugtfri
pH-værdi	: 6.25 ved (25 C)
Smeltepunkt/frysepunkt	: <-20°C
Begyndelseskogepunkt og kogepunktsinterval	: 80 °C
Flammepunkt	: 15.3 C
Antændelighed (fast stof, luftart)	: Understøtter forbrænding
Nedre antændelses- eller eksplosionsgrænser	: 3.3 %(V)
Øvre antændelses- eller eksplosionsgrænser	: 19 %(V)
Dampmassefylde	: 1.59
Relativ massefylde	: 0.844 g/cm3 ved 20 C
Opløselighed	: opløselig
Fordelingskoefficient: n-oktanol/vand	: Ikke påkrævet da produktet er en blanding.
Selvantændelsestemperatur	: Meget brandfarlig.
Dekomponeringstemperatur	: Måles ikke, da blandingen ikke er selvreaktiv.
Viskositet, kinematisk	: omtrent som vand
Karakteristika for partikel	: Ikke påkrævet, da blandingen er en væske.

9.2 Andre oplysninger

Andre oplysninger	: Ikke en relevant test for denne varetype.
-------------------	---

PUNKT 10: STABILITET OG REAKTIVITET

10.1 Reaktivitet	: Ingen farlige reaktioner kendt ved normalt brug under normale forhold.
-------------------------	--

INSTANTFOAM COMPLETE

Udgave 1.1

Revisionsdato 05.01.2023

Trykdato 05.01.2023

Specifikation Nummer: 350000043257

10.2 Kemisk stabilitet : Stabilt under de anbefalede opbevaringsforhold.

10.4 Forhold, der skal undgås : Varme, flammer og gnister.

10.5 Materialer, der skal undgås : Ingen kendte.

10.6 Farlige nedbrydningsprodukter : Ingen nedbrydning ved lagring og brug som beskrevet.

PUNKT 11: TOKSIKOLOGISKE OPLYSNINGER
11.1 Oplysninger om fareklasser som defineret i Forordning (EF) Nr. 1272/2008
Akut oral toksicitet

Navn	Metode	Arter	Dose
Produkt	LD50 Beregnet		> 2,000 mg/kg

Akut toksicitet ved indånding

Navn	Metode	Arter	Dose	Ekspositionsvarighed
Produkt	LC50 (damp) Beregnet		> 20 mg/l	

Akut dermal toksicitet

Navn	Metode	Arter	Dose
Produkt	LD50 Beregnet		> 2,000 mg/kg

Hudætsning/-irritation : Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.

Alvorlig øjenskade/øjenirritation : Forårsager alvorlig øjenirritation.

Hudsensibilisering : Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.

Kimcellemutagenicitet : Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.

INSTANTFOAM COMPLETE

Udgave 1.1

Revisionsdato 05.01.2023

Trykdato 05.01.2023

Specifikation Nummer: 350000043257

Kræftfremkaldende egenskaber	:	Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.
Reproduktionstoksicitet	:	Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.
Enkel STOT-eksponering	:	Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.
Gentagne STOT-eksponeringer	:	Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.
Aspirationsfare	:	Kriterierne for klassificering kan på grundlag af de foreliggende data ikke anses for at være opfyldt.

11.2 Oplysninger om andre farer

Hormonforstyrrende egenskaber	:	Denne blanding indeholder ingen stoffer på >0,1 %, der er inkluderet på den liste, som er fastlagt i henhold til Artikel 59(1) for at have hormonforstyrrende egenskaber
Andre oplysninger	:	Ingen identificeret.

PUNKT 12: MILJØOPLYSNINGER
Produkt : Selve produktet er ikke blevet undersøgt.

12.1 Toksicitet
Toksicitet overfor fisk

Komponenter	Slutpunkt	Arter	Værdi	Ekspositionsvarighed
ethanol	LC50	Fisk	11,200 mg/l	96 h

Gitighed overfor vandlevende hvirvelløse dyr

Komponenter	Slutpunkt	Arter	Værdi	Ekspositionsvarighed
ethanol	LC50 Statisk test	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d

Giftighed overfor vandplanter

INSTANTFOAM COMPLETE

Udgave 1.1
Revisionsdato 05.01.2023

Trykdato 05.01.2023
Specifikation Nummer: 350000043257

Komponenter	Slutpunkt	Arter	Værdi	Ekspositionsvarighed
ethanol	EC50 Statisk	Chlorella vulgaris (ferskvandalger)	275 mg/l	72 h

12.2 Persistens og nedbrydelighed

Komponent	Bionedbrydning	Ekspositionsvarighed	Sammenfatning
ethanol	97 %	28 d	Let bionedbrydeligt.

12.3 Bioakkumuleringspotentiale

Komponent	Biokoncentrationsfaktor (BCF)	Fordelingskoefficient n-oktanol/vand (log)
ethanol	3.2 skønsmæssig	-0.35 Målt

12.4 Mobilitet i jord

Komponent	Slutpunkt	Værdi
ethanol	Ingen data tilgængelige	

12.5 Resultater af PBT- og vPvB-vurdering

Komponent	Resultater
ethanol	Opfylder ikke kriterierne for PBT eller vPvB

12.6 Hormonforstyrrende egenskaber : Denne blanding indeholder ingen stoffer på >0,1 %, der er inkluderet på den liste, som er fastlagt i henhold til Artikel 59(1) for at have hormonforstyrrende egenskaber

12.7 Andre negative virkninger : Ingen kendte.

PUNKT 13: BORTSKAFFELSE**13.1 Metoder til affaldsbehandling**

Produkt

- : Affald må ikke komme i kloakken.
- Foruren ikke søer, åer eller grøfter med kemikalier eller brugte beholdere.
- Bortskaffelse skal ske i overensstemmelse med lokal eller national lovgivning.
- Venligst aflever tømt emballage til genbrug

SIKKERHEDSDATABLAD

(Forordning (EU) 2020/878, der ændrer Bilag II i REACH-forordningen.)

**INSTANTFOAM COMPLETE**Udgave 1.1
Revisionsdato 05.01.2023Trykdato 05.01.2023
Specifikation Nummer: 350000043257

Emballage : Tomme beholdere må ikke genbruges.

PUNKT 14: TRANSPORTOPLYSNINGER

	Vejtransport	Søtransport	Lufttransport
14.1 UN-nummer	1993	1993	1993
14.2 UN-forsendelsesbetegnelse (UN proper shipping name)			
14.3 Transportfareklasse(r)	3	3	3
14.4 Emballagegruppe	II	II	II
14.5 Miljøfarer			
14.6 Særlige forsigtighedsregler for brugeren	Undtagelser for begrænsede mængder af dette produkt. Venligst kontroller transportdokumenterne	Undtagelser for begrænsede mængder af dette produkt. Venligst kontroller transportdokumenterne	Undtagelser for begrænsede mængder af dette produkt. Venligst kontroller transportdokumenterne
14.7 Bulktransport til søs i henhold til IMO-instrumenter	Ingen transport i bulk.	Ingen transport i bulk.	Ingen transport i bulk.

PUNKT 15: OPLYSNINGER OM REGULERING**15.1 Særlige bestemmelser/særlig lovgivning for stoffet eller blandingen med hensyn til sikkerhed, sundhed og miljø**

: Dette sikkerhedsdatablad overholder kravene i:

Forordning (EU) nr. 1907/2006

Forordning (EF) nr. 1272/2008 (CLP) som ændret (gælder ikke for kosmetik)

Forordning (EF) nr. 528/2012 som ændret (gælder for biocidholdige produkter)

Direktiv (EØF) nr. 75/324 som ændret (gælder for aerosoler)

Forordning (EF) nr. 1223/2009 ændret (gælder for kosmetiske produkter)

Forordning (EF) nr. 684/2001 De overfladeaktive stoffer, der er indeholdt i dette præparat, overholder kriterierne for biologisk nedbrydelighed, som er fastlagt i Forordning (EF) nr. 648/2004 for rengøringsmidler (gælder for rengøringsmidler).

Direktiv (EF) nr. 2001/95/EF - Generelt Direktiv om produktsikkerhed

INSTANTFOAM COMPLETEUdgave 1.1
Revisionsdato 05.01.2023Trykdato 05.01.2023
Specifikation Nummer: 350000043257Europæisk Konvention om International Transport af Farligt Gods ad Vej
(ADR)

Direktiv 2012/18/EU Seveso

Forordning (EU) 2019/1021 af 20. juni 2019 om persistente organiske
miljøgifte

15.2 Kemikaliesikkerhedsvurdering : Hvor eksponeringsscenarier, for de stoffer der er anført i afsnit 3, findes, er de vurderet for de anvendelser identificeret i dette datablad eller på produktets etiket og de passende relevante oplysninger er indarbejdet i dette sikkerhedsdatablad

PUNKT 16: ANDRE OPLYSNINGER

Hvis relevant angives ændringer med dobbelt linjer || i venstre margen

Forkortelser og akronymer

EF – Det Europæiske Fællesskab
EØF – Det Europæiske Økonomiske Fællesskab
CLP – Klassificering, mærkning og emballering
EN – Europæisk standard eller Europæisk norm
PBT – Persistent, bioakkumulerende og toksisk
vPvB – Meget persistent og meget bioakkumulerende
FN – Forenede Nationer

Evalueringsmetoder

Medmindre andet er angivet i afsnit 11, er proceduren, der anvendes til at udlede klassifikationen for menneskers sundhed, den relevante beregningsmetode i henhold til CLP-forordningen (EF) nr. 1272/2008.

Medmindre andet er angivet i afsnit 12, er proceduren, der anvendes til at udlede den miljømæssige klassifikation, en sammenfatning af metoden for klassificerede komponenter i henhold til CLP-forordningen (EF) nr. 1272/2008.

Fuld tekst af H-sætninger

H225	Meget brandfarlig væske og damp.
------	----------------------------------

Informationerne i dette Arbejdshygiejniske Datablad er efter vor bedste viden, oplysninger og overbevisning korrekte på datoen, hvor det er trykt. Informationerne tjener kun som vejledning til sikker håndtering, brug, forarbejdning, lagring, transport, disponering og frigivelse og kan ikke betragtes som en garanti eller kvalitetsangivelse. Informationerne vedrører kun det udtrykkeligt angivne materiale og er ikke gældende for dette materiale anvendt i kombination med andre materialer eller forarbejdning, medmindre udtrykkeligt anført i teksten.