




badgy

A LASTING IMPRESSION



**Personalize and print plastic
badges yourself!**

www.badgy.com

DISTINGUISH YOURSELF

WITH PERSONALIZED PLASTIC BADGES

ORIGINALITY


Give your organization a professional look by using custom badges printed on plastic cards. Holding your logos and pictures, these badges enhance your brand image and increase your professionalism.

SOLIDITY

When printed on plastic cards, your badges are more resistant and tamper-proof, thus strengthening the security of your organization.




For many purposes:



EMPLOYEE BADGES



MEMBERSHIP CARDS



EVENT BADGES



STUDENT CARDS



GIFT & SPECIAL OFFER CARDS



LOYALTY CARDS

and many others...

CREATE YOUR BADGES

EASILY AND ON-DEMAND

PROFESSIONAL APPEARANCE

Your badges are printed in high resolution on a quality plastic card. Moreover, the online template library offers professional-looking designs to choose from.

ON-DEMAND PRINTING

Get rid of sub-contractors deadlines. Print on demand based on your requirements and immediately replace any lost or stolen card.

FAST ISSUANCE

Issue up to 95 badges per hour, single or multiple runs.
Your employees, members or students instantly receive their card.

Your personalized badge in 3 easy steps

Badgy is a user-friendly solution: both the card designer software and the card printer (managed like a standard office printer) are easy to use.

1



Download a card template
from the badge library on
www.badgy.com

2



With Evolis Badge Studio® card
designer software, personalize the
template by adding your logos,
backgrounds, photos, texts and
barcodes

3



Print your card...
in less than a minute!



With the badgy²⁰⁰ solution,
you can automatically
import information from
your databases.



A COMPLETE OFFER




ONLINE CARD TEMPLATE
LIBRARY



EVOLIS BADGE STUDIO®
CARD DESIGNER SOFTWARE



BADGY CARD PRINTER



COLOR RIBBON + PVC CARDS
(53.98 x 85.60 mm)

2 BADGY solutions

badgy 100

badgy 200

PRINTABLE AREA	Margin of 1.35 mm (0.05")	Edge-to-edge
PRINTING SPEED	45 sec /card - 80 cards/hour	38 sec /card - 95 cards/hour
INCLUDED SOFTWARE	Evolis Badge Studio® Standard version	Evolis Badge Studio® version + (import from databases)
SUPPLIED CONSUMABLES PACK	For 50 prints	For 100 prints

PRINTING MODE	Color dye sublimation, monochrome thermal transfer
INTERFACE	USB 2.0 (compatible 1.1 and 3.0)
CAPACITIES	Feeder: 25 cards / Output hopper: 25 cards
OPERATING SYSTEMS	Windows® XP, Vista (32 & 64 bits), 7 (32 & 64 bits), 8 (32 & 64 bits) Mac OS X 10.6, 10.7, 10.8, 10.9
ECO-DESIGN	RoHs, prolonged standby mode and reduced electricity consumption (Erp 2009/125/CE)
SIZE AND WEIGHT	H x W x D: 147 x 200 x 276mm (5.78 x 7.87x 10.86") / 1.7kg (3.75 lbs)
WARRANTY	1 year, warranty extensions available as an option

badgy

A LASTING IMPRESSION

Badgy is a brand of the Evolis group, a global leader in plastic card printing solutions.

See Badgy in action on www.badgy.com

©2014 Evolis Card Printer. All rights reserved. Actual product(s) may differ from information contained in this document. All information, specifications or graphics are subject to change without prior notice. All trademarks mentioned herein belong to their respective owners. 07/2014. KB-BDG2-111-ENG-A5 Rev A2

BADGY200

TECHNICAL FEATURES

badgy

A LASTING IMPRESSION



GENERAL FEATURES

- Single-side print module
- Color sublimation, monochrome thermal transfer
- 300 dpi printing
- 2 million colors
- 16 MB of memory (RAM)
- Printable area: edge-to-edge

PRINTING SPEED

- Color (YMCKO): 38 sec/card - 95 cards/hour
- Black: 11 sec/card - 325 cards/hour

PORTS/CONNECTIVITY

- USB 2.0 (USB 1.1 and 3.0 compatible)

SECURITY

- Space for Kensington® security lock

ECO-DESIGN, CERTIFICATIONS AND DECLARATION OF CONFORMITY

- Extended standby mode and reduced electricity consumption
- Erp 2009/125/EC
- CE, FCC, VCCI, BIS, CCC, KC
- RoHS

POWER SUPPLY

- Power supply unit: 100-240 V AC, 50-60 Hz, 1.8 A
- Printer: 24 Volts DC, 3 A

MANAGEMENT AND CARD FEATURES

- Card feeder capacity: 25 cards (0.76 mm) to 40 cards (0.50 mm)
- Output hopper capacity: 25 cards (0.76 mm) to 40 cards (0.50 mm)
- Card thickness: 0.50 to 0.76 mm, automatic adjustment of the gauge
- Card type: PVC cards
- Card format: ISO CR-80 – ISO 7810 (53.98 x 85.60 mm)
- Included in the solution: pack of 100 PVC cards 0.76 mm

PRINTING RIBBONS

- Included in the solution:
 - YMCKO: 100 prints/ribbon
- Available to order:
 - YMCKO: 100 prints/ribbon
 - Monochrome black ribbon: 500 prints/ribbon (integrated ribbon saving)
- Automatic recognition and configuration
- Ribbon inserted in a cassette for easier handling

OPERATING SYSTEMS

- Windows® XP, Vista 32/64, W7 32/64, W8 32/64
- Mac OS X 10.6, 10.7, 10.8, 10.9

OPERATING ENVIRONMENT

- Min/max operating temperature: 15° / 30° C (59° / 86° F)
- Humidity: 20% to 65% non-condensing
- Min/max storage temperature: -5° / +70° C (23° / 158° F)
- Storage humidity: 20% to 70% non-condensing
- Ventilation in operation: free air circulation

SOFTWARE

- Supplied with: Evolis Badge Studio® + (Advanced version with import from databases)
- Compatible with Windows® and Mac

PACKAGE CONTENTS

- BADGY200 printer
- Color ribbon (YMCKO) 100 prints
- 100 blank PVC cards 0.76 mm (30 mil)
- Installation CD including print driver, card templates, Evolis Badge Studio® + software (Advanced version)
- Power supply unit and cable
- USB cable

DIMENSIONS AND WEIGHT

- Complete packaged solution:
 - Dimensions (H x W x D): 315 x 385 x 285 mm (12.4" x 15.15" x 11.22")
 - Weight: 3.95 kg (8.7 lbs)
- Printer:
 - Dimensions (H x W x D): 147 x 200 x 276 mm (5.78" x 7.87" x 10.86")
 - Weight: 1.7 kg (3.74 lbs)

WARRANTY CONDITIONS¹

- 1 year (printer and print head)
- Warranty extensions available as an option

¹ Warranty subject to strict compliance with the specific usage conditions and the use of Badgy print ribbons